

Table 1: Nonpoint Source Best Management Practices that have been Peer-Reviewed and CBP-Approved for Phase 5.0 of the Chesapeake Bay Program Watershed Model
Revised 1/18/06

Agricultural BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency
Riparian Forest Buffers and Wetland Restoration - Agriculture ¹ :	Landuse conversion + efficiency	Efficiency applied to 4 upland acres	Efficiency applied to 2 upland acres	Efficiency applied to 2 upland acres
Coastal Plain Lowlands	Efficiency	25%	75%	75%
Coastal Plain Dissected Uplands	Efficiency	40%	75%	75%
Coastal Plain Uplands	Efficiency	83%	69%	69%
Piedmont Crystalline	Efficiency	60%	60%	60%
Blue Ridge	Efficiency	45%	50%	50%
Mesozoic Lowlands	Efficiency	70%	70%	70%
Piedmont Carbonate	Efficiency	45%	50%	50%
Valley and Ridge Carbonate	Efficiency	45%	50%	50%
Valley and Ridge Siliciclastic	Efficiency	55%	65%	65%
Appalachian Plateau Siliciclastic	Efficiency	60%	60%	60%
Riparian Grass Buffers - Agriculture:	Landuse conversion + efficiency	Efficiency applied to 4 upland acres	Efficiency applied to 2 upland acres	Efficiency applied to 2 upland acres
Coastal Plain Lowlands	Efficiency	17%	75%	75%
Coastal Plain Dissected Uplands	Efficiency	27%	75%	75%
Coastal Plain Uplands	Efficiency	57%	69%	69%
Piedmont Crystalline	Efficiency	41%	60%	60%
Blue Ridge	Efficiency	31%	50%	50%
Mesozoic Lowlands	Efficiency	48%	70%	70%
Piedmont Carbonate	Efficiency	31%	50%	50%
Valley and Ridge Carbonate	Efficiency	31%	50%	50%
Valley and Ridge Siliciclastic	Efficiency	37%	65%	65%
Appalachian Plateau Siliciclastic	Efficiency	41%	60%	60%

¹ These peer-reviewed BMP efficiencies and/or landuse conversions will be refined with more recent data for use in Phase 5.0 of the Chesapeake Bay Program Watershed Model based on results of the EPA CBPO FY2006 BMP Literature Synthesis project. Estimated Completion Date: TBD.

<i>Agricultural BMPs (continued)</i>	<i>How Credited</i>	<i>TN Reduction Efficiency</i>	<i>TP Reduction Efficiency</i>	<i>SED Reduction Efficiency</i>
Conservation Plans - Agriculture ¹ (Solely structural practices such as installation of grass waterways in areas with concentrated flow, terraces, diversions, drop structures, etc.):	Efficiency			
Conservation Plans on Conventional-Till	Efficiency	8%	15%	25%
Conservation Plans on Conservation-Till and Hay	Efficiency	3%	5%	8%
Conservation Plans on Pasture	Efficiency	5%	10%	14%
Cover Crops ¹ :	Efficiency			
Cereal Cover Crops on Conventional-Till:	Efficiency			
Early-Planting - Up to 7 days prior to published first frost date	Efficiency	45%	15%	20%
Late-Planting - Up to 7 after published first frost date	Efficiency	30%	7%	10%
Cereal Cover Crops on Conservation-Till:	Efficiency			
Early-Planting - Up to 7 days prior to published first frost date	Efficiency	45%	0%	0%
Late-Planting - Up to 7 after published first frost date	Efficiency	30%	0%	0%
Commodity Cereal Cover Crops / Small Grain Enhancement on Conventional-Till:	Efficiency			
Early-Planting - Up to 7 days prior to published first frost date	Efficiency	25%	0%	0%
Late-Planting - Up to 7 after published first frost date	Efficiency	17%	0%	0%
Commodity Cereal Cover Crops / Small Grain Enhancement on Conservation-Till:	Efficiency			
Early-Planting - Up to 7 days prior to published first frost date	Efficiency	25%	0%	0%
Late-Planting - Up to 7 after prior to published first frost date	Efficiency	17%	0%	0%
Off-stream Watering with Stream Fencing (Pasture) ²	Efficiency	60%	60%	75%
Off-stream Watering with Stream Fencing and Rotational Grazing (Pasture) ³	Efficiency	20%	20%	40%

¹ These peer-reviewed BMP efficiencies and/or landuse conversions will be refined with more recent data for use in Phase 5.0 of the Chesapeake Bay Program Watershed Model based on results of the EPA CBPO FY2006 BMP Literature Synthesis project. Estimated Completion Date: TBD.

² Will be credited as a landuse conversion in the final Phase 5.0 of the Watershed Model.

³ Will be credited as a landuse conversion and efficiency in the final Phase 5.0 of the Watershed Model.

<i>Agricultural BMPs (continued)</i>	<i>How Credited</i>	<i>TN Reduction Efficiency</i>	<i>TP Reduction Efficiency</i>	<i>SED Reduction Efficiency</i>
Off-stream Watering without Fencing (Pasture)	Efficiency	30%	30%	38%
Animal Waste Management Systems - Applied to model manure acre where 1 manure acre = runoff from 145 animal units: ²	Reduction in manure acres			
Livestock Systems ²	Reduction in manure acres	100%	100%	N/A
Poultry Systems ²	Reduction in manure acres	100%	100%	N/A
Barnyard Runoff Control / Loafing Lot Management ²	Reduction in manure acres	100%	100%	N/A
Conservation-Tillage ¹	Landuse conversion	N/A	N/A	N/A
Land Retirement - Agriculture	Landuse conversion	N/A	N/A	N/A
Tree Planting - Agriculture	Landuse conversion	N/A	N/A	N/A
Carbon Sequestration / Alternative Crops	Landuse conversion	N/A	N/A	N/A
Nutrient Management Plan Implementation - Agriculture	Landuse conversion	135% of modeled crop uptake	135% of modeled crop uptake	N/A
Enhanced Nutrient Management Plan Implementation – Agriculture ¹	Landuse conversion + Built into simulation	115% of modeled crop uptake	115% of modeled crop uptake	N/A
Alternative Uses of Manure / Manure Transport	Built into preprocessing	Reduction in nutrient mass applied to cropland	Reduction in nutrient mass applied to cropland	N/A
Poultry Phytase	Built into preprocessing	N/A	Reduction in nutrient mass applied to cropland	N/A

¹ These peer-reviewed BMP efficiencies and/or landuse conversions will be refined with more recent data for use in Phase 5.0 of the Chesapeake Bay Program Watershed Model based on results of the EPA CBPO FY2006 BMP Literature Synthesis project. Estimated Completion Date: TBD.

² Will be credited as a landuse conversion in the final Phase 5.0 of the Watershed Model.

<i>Agricultural BMPs (continued)</i>	<i>How Credited</i>	<i>TN Reduction Efficiency</i>	<i>TP Reduction Efficiency</i>	<i>SED Reduction Efficiency</i>
Dairy Precision Feeding / and Forage Management ¹	Built into preprocessing	Reduction in nutrient mass applied to cropland	Reduction in nutrient mass applied to cropland	N/A
Swine Phytase	Built into preprocessing	N/A	Reduction in nutrient mass applied to cropland	N/A
Continuous No-Till:				
Below Fall Line	Efficiency	10%	20%	70%
Above Fall Line	Efficiency	15%	40%	70%
Water Control Structures	Efficiency	33%	N/A	N/A
<i>Urban and Mixed Open BMPs</i>				
Stormwater Management::	Efficiency			
Wet Ponds and Wetlands ¹	Efficiency	30%	50%	80%
Dry Detention Ponds and Hydrodynamic Structures ¹	Efficiency	5%	10%	10%
Dry Extended Detention Ponds ¹	Efficiency	30%	20%	60%
Infiltration Practices	Efficiency	50%	70%	90%
Filtering Practices	Efficiency	40%	60%	85%
Erosion and Sediment Control ¹	Efficiency	33%	50%	50%

¹ These peer-reviewed BMP efficiencies and/or landuse conversions will be refined with more recent data for use in Phase 5.0 of the Chesapeake Bay Program Watershed Model based on results of the EPA CBPO FY2006 BMP Literature Synthesis project. Estimated Completion Date: TBD.

<i>Urban and Mixed Open BMPs (continued)</i>	<i>How Credited</i>	<i>TN Reduction Efficiency</i>	<i>TP Reduction Efficiency</i>	<i>SED Reduction Efficiency</i>
Nutrient Management (Urban)	Efficiency	17%	22%	N/A
Nutrient Management (Mixed Open)	Efficiency	17%	22%	N/A
Abandoned Mine Reclamation ²	Landuse change converted to efficiency	Varies by model segment	Varies by model segment	Varies by model segment
Riparian Forest Buffers – Urban and Mixed Open	Landuse conversion + efficiency	25%	50%	50%
Wetland Restoration – Urban and Mixed Open	Landuse conversion	N/A	N/A	N/A
Stream Restoration – Urban and Mixed Open ¹	Load reduction converted to efficiency	0.02 lbs/ft	0.0035 lbs/ft	2.55 lbs/ft
Impervious Surface and Urban Growth Reduction / Forest Conservation	Landuse conversion	N/A	N/A	N/A
Tree Planting – Urban and Mixed Open	Landuse conversion	N/A	N/A	N/A
<i>Resource and Septic BMPs</i>				
Forest Harvesting Practices ¹	Efficiency	50%	50%	50%
Septic Denitrification	Efficiency	50%	N/A	N/A
Septic Pumping	Efficiency	5%	N/A	N/A
Septic Connections / Hook-ups	Built into pre-Processing	N/A	N/A	N/A

¹ These peer-reviewed BMP efficiencies and/or landuse conversions will be refined with more recent data for use in Phase 5.0 of the Chesapeake Bay Program Watershed Model based on results of the EPA CBPO FY2006 BMP Literature Synthesis project. Estimated Completion Date: TBD.

² Will be credited as a landuse conversion in the final Phase 5.0 of the Watershed Model.

**Table 2: Nonpoint Source Best Management Practices Requiring Additional Peer-Review
for Phase 5.0 of the Chesapeake Bay Watershed Model
Revised 1/12/06**

(Note: Credit and Efficiencies are listed in parenthesis
since they have not received formal peer review)

Agricultural BMPs Requiring Peer Review	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency	CBP Lead Status Estimated Completion Date
Precision Agriculture	(Built into simulation)	N/A	N/A	N/A	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency for Phase 5.0 Completion Date: TBD Delaware Maryland Agribusiness Association plans to work with CBPO to provide tracking data for this BMP.
Manure Additives	TBD	TBD	TBD	TBD	Agriculture Nutrient Reduction Workgroup TBD TBD
Ammonia Emission Reductions	(Built into preprocessing)	(Reduction in ammonia deposition)	N/A	N/A	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Precision Grazing	Efficiency	(25%)	(25%)	(25%)	Agriculture Nutrient Reduction Workgroup Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Mortality Composters	Efficiency	(14%)	(14%)	N/A	Tributary Strategy Workgroup EPA CBPO 2006/2007 project will determine efficiency June 2008
Horse Pasture Management	Efficiency	(20%)	(20%)	(40%)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD

<i>Agricultural BMPs Requiring Peer Review (continued)</i>	<i>How Credited</i>	<i>TN Reduction Efficiency</i>	<i>TP Reduction Efficiency</i>	<i>SED Reduction Efficiency</i>	<i>CBP Lead Status Estimated Completion Date</i>
Non-Urban Stream Restoration	Load reduction converted to efficiency				
Non-Urban Stream Restoration on Conventional-Till and Pasture	Load reduction converted to efficiency	(0.026 lbs/ft)	(0.0046 lbs/ft)	(3.32 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Non-Urban Stream Restoration on Conservation-Till, Hay	Load reduction converted to efficiency	(0.02 lbs/ft)	(0.0035 lbs/ft)	(2.55 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
<i>Urban and Mixed Open BMPs Requiring Peer Review</i>					
Non-Urban Stream Restoration on Mixed Open	Load reduction converted to efficiency	(0.02 lbs/ft)	(0.0035 lbs/ft)	(2.55 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Dirt & Gravel Road Erosion & Sediment Control on Mixed Open	Load reduction converted to efficiency	(0.02 lbs/ft)	(0.0035 lbs/ft)	(2.55 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Roadway Systems	TBD	TBD	TBD	TBD	Urban Stormwater Workgroup (USWG) USWG will meet with Departments of Transportation to identify roadway BMPs and efficiencies TBD
Urban Street Sweeping and Catch Basin Inserts	Efficiency	(10%)	(10%)	(10%)	Urban Stormwater Workgroup EPA CBPO street sweeping project will provide efficiency recommendations for the Urban Stormwater Workgroup review in Fall 2007

Urban and Mixed Open BMPs Requiring Peer Review (continued)	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency	CBP Lead Status Estimated Completion Date
Riparian Grass Buffers – Urban and Mixed Open	TBD	TBD	TBD	TBD	TBD
Resource BMPs Requiring Peer Review					
Non-Urban Stream Restoration on Forest	Load reduction converted to efficiency	(0.02 lbs/ft)	(0.0035 lbs/ft)	(2.55 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Dirt & Gravel Road Erosion & Sediment Control on Forest	Load reduction converted to efficiency	(0.02 lbs/ft)	(0.0035 lbs/ft)	(2.55 lbs/ft)	Tributary Strategy Workgroup EPA CBPO FY2006 BMP Literature Synthesis project will determine efficiency Completion Date: TBD
Voluntary Air Emission Controls within Jurisdictions (Utility, Industrial, and Mobile)	Built into preprocessing	(Reduction in nitrogen species deposition)	N/A	N/A	Nutrient Subcommittee TBD TBD

Table 3: Nonpoint Source Best Management Practices that have been Peer Reviewed and CBP Approved for the Chesapeake Bay Water Quality Model
Revised 1/12/06

Shoreline BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency
Structural Tidal Shoreline Erosion Control	Water Quality Model	N/A	N/A	N/A
Non-Structural Tidal Shoreline Erosion Control	Water Quality Model	N/A	N/A	N/A

Table 4: Nonpoint Source Best Management Practices Requiring Additional Peer Review for the Chesapeake Bay Water Quality Model
Revised 1/12/06

Resource BMPs	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency	CBP Lead Status Estimated Completion Date
Coastal Floodplain Flooding	TBD	TBD	TBD	TBD	Sediment Workgroup TBD TBD
SAV Planting and Preservation	Water Quality Model	TBD	TBD	TBD	Living Resources Subcommittee TBD TBD
Oyster Reef Restoration and Shellfish Aquaculture	Water Quality Model	TBD	TBD	TBD	TBD TBD TBD
Structural Shoreline Erosion Controls:					Sediment Workgroup TBD TBD
Shoreline hardening	Water Quality Model	TBD	TBD	TBD	Sediment Workgroup TBD TBD

Resource BMPs (continued)	How Credited	TN Reduction Efficiency	TP Reduction Efficiency	SED Reduction Efficiency	CBP Lead Status Estimated Completion Date
Off-shore breakwater	Water Quality Model	TBD	TBD	TBD	Sediment Workgroup TBD TBD
Headland control	Water Quality Model	TBD	TBD	TBD	Sediment Workgroup TBD TBD
Breakwater systems	Water Quality Model	TBD	TBD	TBD	Sediment Workgroup TBD TBD