

Literature Cited

- Ackerman, J. D. 1983. Current flow around *Zostera marina* plants and flowers: Implications for submarine pollination. *Biological Bulletin* 5:504. Marine Biological Lab., Woods Hole, Massachusetts.
- Ackerman, J. D. and A. Okubo. 1993. Reduced mixing in a marine macrophyte canopy. *Functional Ecology* 7:305-309.
- Agami, M., S. Beer and Y. Waisel. 1980. Growth and photosynthesis of *Najas marina* L. as affected by light intensity. *Aquatic Botany* 9:285-289.
- Agami, M., S. Beer and Y. Waisel. 1984. Seasonal variations in the growth capacity of *Najas marina* L. as a function of various water depths at the Yarkon Springs, Israel. *Aquatic Botany* 19:45-51.
- Agawin, N. S. R., C. M. Duarte and M. D. Fortes. 1996. Nutrient limitation of Philippine seagrasses (Cape Bolinao, NW Philippines): *In situ* experimental device. *Marine Ecology Progress Series* 142:233-243.
- Alcoverro, T., C. M. Duarte and J. Romero. 1997a. The influence of herbivores on *Posidonia oceanica* epiphytes. *Aquatic Botany* 56:93-104.
- Alcoverro, T., J. Romero, C. M. Duarte and N. Lopez. 1997b. Spatial and temporal variations in nutrient limitation of seagrass *Posidonia oceanica* growth in the NW Mediterranean. *Marine Ecology Progress Series* 146:155-161.
- Almasi, M. N., C. M. Hoskin, J. R. Reed and J. Milo. 1987. Effects of natural and artificial *Thalassia* on rates of sedimentation. *J. Sedim. Petrol.* 57:901-906.
- Anderson, L. W. J. 1989. Inhibition of winter bud formation in *Potamogeton nodosus* by bensulfuron herbicide: optimal timing exposure. In: Western Society of Weed Science 1989 Research Progress Report. Honolulu, Hawaii, March 14-16, 1989.
- Anderson, L. W. J. and N. Dechoretz. 1982. Control of hydrilla in irrigation canals with acrolein. In: Western Society of Weed Science 1982 Research Progress Report. Denver, Colorado March 9, 10, 11, 1982.
- Anderson, M. R. and J. Kalff. 1988. Submerged aquatic macrophyte biomass in relation to sediment characteristics in ten temperate lakes. *Freshwater Biology* 19:115-121.
- Anderson, R. R. 1972. Submersed vascular plants of the Chesapeake Bay and tributaries. *Chesapeake Science* 13:S87-S89.
- Anderson, S. M. and A. C. Charters. 1982. A fluid dynamics study of seawater flow through *Gelidium nudifrons*. *Limnology and Oceanography* 27:399-412.
- Armstrong, W. 1978. Root aeration in the wetland condition. In: Plant Life in Anaerobic Environments, eds. D. D. Hook and R.M.M. Crawford, 269-297. Ann Arbor Science Publishers, Inc.
- Atlas, D. and T. T. Bannister. 1980. Dependence of mean spectral extinction coefficient of phytoplankton on depth, water color and species. *Limnology and Oceanography* 25:157-159.
- Bach, H. K. 1993. A dynamic model describing the seasonal variations in growth and the distribution of eelgrass (*Zostera marina*). I. Model theory. *Ecological Modelling* 65:31-50.
- Backman, T. W. and D. C. Barilotti. 1976. Irradiance reduction effects on standing crops of the eelgrass *Zostera marina* in a coastal lagoon. *Marine Biology* 34:33-40.
- Bannister, T. T. 1974. A general theory of steady state phytoplankton growth in a nutrient saturated mixed layer. *Limnology and Oceanography* 19:13-30.
- Barko, J. W. and R. M. Smart. 1983. Effects of organic matter additions to sediment on the growth of aquatic plants. *Journal of Ecology* 71:161-175.

- Barko, J. W. and R. M. Smart. 1986. Sediment-related mechanisms of growth limitation in submersed macrophytes. *Ecology* 67:1328-1340.
- Batiuk, R., R. Orth, K. Moore, J. C. Stevenson, W. Dennison, L. Staver, V. Carter, N. Rybicki, R. Hickman, S.
- Kollar and S. Bieber. 1992. *Submerged Aquatic Vegetation Habitat Requirements and Restoration Targets: A Technical Synthesis*. Chesapeake Bay Program, Annapolis, Maryland.
- Baudo, R. 1981. Relationship between heavy metals and aquatic organisms in Lake Mezzola hydrographic system (Northern Italy). *Mem. Ist. Ital. Idrobiol.* 39:227-242.
- Best, E. P. H. 1982. Growth modeling in aquatic macrophytes, pp. 1.2-111, In: *Studies on aquatic vascular plants*, eds. J. Symoens, S. Hooper and P. Compere, 1.2-111. Royal Botanical Society of Belgium Publ., Brussels.
- Best, E. P. H. 1986. Photosynthetic characteristics of the submerged macrophyte *Ceratophyllum demersum*. *Physiologia Plantarum* 68:501-510
- Biernacki, M., J. Lovett-Doust and L. Lovett-Doust. 1997. Laboratory assay of sediment phytotoxicity using the macrophyte *Vallisneria americana*. *Environmental Toxicology and Chemistry* 16 (3):472-478.
- Biggs, R. B. 1970. Sources and distribution of suspended sediment in northern Chesapeake Bay. *Mar. Geol.* 9:187-201
- Blackburn, R. D., J. M. Lawrence and D. E. Davis. 1961. Effects of light intensity and quality on the growth of *Elodea densa* and *Heteranthera dubia*. *Weeds* 9:251-257.
- Blackburn, T. H., D. B. Nedwell and W. J. Wiebe. 1994. Active mineral cycling in a Jamaican seagrass sediment. *Marine Ecology Progress Series* 110:233-239.
- Blindow, I. 1992a. Long- and short-term dynamics of submerged macrophytes in two shallow eutrophic lakes. *Freshwater Biology* 28:15-27.
- Blindow, I. 1992b. Decline of charophytes during eutrophication: Comparison with angiosperms. *Freshwater Biology* 28:9-14.
- Bodkin, P. C., U. Posluszny and H. M. Dale. 1980. Light and pressure in two freshwater lakes and their influence on the growth, morphology and depth limits of *Hippuris vulgaris*. *Freshwater Biology* 10:545-552.
- Boeger, R. T. 1992. The influence of substratum and water velocity on growth of *Ranunculus aquatilis* L. (Ranunculaceae). *Aquatic Botany* 42:351-359.
- Boon, J. D., M. O. Green and K. D. Suh. 1996. Bimodal wave spectra in lower Chesapeake Bay, sea bed energetics and sediment transport during winter storms. *Continental Shelf Research* 16:1965-1988.
- Borum, J. 1985. Development of epiphytic communities on eelgrass (*Zostera marina*) along a nutrient gradient in a Danish estuary. *Marine Biology* 87:211-218.
- Bourn, W. S. 1932. Ecological and physiological studies on certain aquatic angiosperms. Contributions from Boyce Thompson Institute 4:425-496.
- Bowes, G., A. S. Holaday, T. K. Van and W. T. Haller. 1977b. Photosynthetic and photorespiratory carbon metabolism in aquatic plants. 289-298. *Proceedings of the Fourth International Congress of Photosynthesis*. Great Britain.
- Bowes, G., T. K. Van, L. A. Garrard and W. T. Haller. 1977a. Adaptation to low light levels by Hydrilla. *Journal of Aquatic Plant Management* 15:32-35.
- Brock, T. C. M., M. van den Bogaert, A. R. Bos, S. W. F. van Breukelen, R. Reiche, J. Terwoert, R. E. M. Suykerbuyk and R. M. M. Roijackers. 1992. Fate and effects of the insecticide Dursban® 4E in indoor *Elodea*-dominated and macrophyte-free freshwater model ecosystems: II. Secondary effects on community structure. *Archives of Environmental Contamination and Toxicology* 23:391-409.
- Brown, S. D. and A. P. Austin. 1973. Diatom succession and interaction in littoral periphyton and plankton. *Hydrobiologia* 43:333-356.
- Brush, G. S. and W. B. Hilgartner. 1989. Paleography of submerged macrophytes in the upper Chesapeake Bay. Final report to the Maryland Department of Natural Resources, Annapolis, Maryland.
- Bulthuis, D. A. and W. J. Wolkerling. 1983a. Biomass accumulation and shading effects of epiphytes on leaves of the seagrass, *Heterozostera tasmanica* in Victoria, Australia. *Aquatic Botany* 16:137-148.
- Bulthuis, D. A. and W. J. Woelkerling. 1983b. Effects of *in situ* light reduction on density and growth of the seagrass *Heterozostera tasmanica* (Martens ex Ashers.) den Hartog in Western Port, Victoria, Australia. *Journal of Experimental Marine Biology and Ecology* 67:91-103.
- Bulthuis, D. A., G. A. Brand and M. C. Mobley. 1984. Suspended sediments and nutrients in water ebbing from seagrass-covered and denuded tidal mudflats in a southern Australian embayment. *Aquatic Botany* 20:257-266.
- Burke, M. K., W. C. Dennison and K. A. Moore. 1996. Non-structural carbohydrate reserves of eelgrass *Zostera marina*. *Marine Ecology Progress Series* 137:195-201.

- Burkholder, P. R. and Doheny, T. E. 1968. The biology of eelgrass. *Contribution No. 1227 from the Lamont Geological Observatory*, 120 pp. Palisades, New York.
- Burrell, D. C. and J. R. Schubel. 1977. Seagrass Ecosystem Oceanography. In: *Seagrass Ecosystems*, eds. C. P. McRoy and C. Helfferich, 196-232. Marcell Dekker, Inc., New York.
- Buzzelli, C. P., R. L. Wetzel and M. B. Meyers. 1998. Dynamic simulation of littoral zone habitats in lower Chesapeake Bay. II. Seagrass habitat primary production and water quality relationships. *Estuaries* 21 (4B):673-689.
- Byl, T. D., H. D. Sutton and S. J. Klaine. 1994. Evaluation of peroxidase as a biochemical indicator of toxic chemical exposure in the aquatic plant *Hydrilla verticillata*, Royle. *Environmental Toxicology and Chemistry* 13 (3):5509-5515
- Caffrey, J. M. and W. M. Kemp. 1990. Nitrogen cycling in sediments with estuarine populations of *Potamogeton perfoliatus* L. and *Zostera marina* L. *Marine Ecology Progress Series* 66:147-160.
- Cambridge, M. L. and A. J. McComb. 1984. The loss of seagrasses in Cockburn Sound, Western Australia. I. The time course and magnitude of seagrass decline in relation to industrial development. *Aquatic Botany* 20:229-243.
- Canfield, E. D., Jr., K. A. Langeland, S. B. Linda and W. T. Haller. 1985. Relations between water transparency and maximum depth of macrophyte colonization in lakes. *Journal of Aquatic Plant Management* 23:25-28.
- Carlson, P. R., L. A. Yarbrow and T. R. Barber. 1994. Relationship of sediment sulfide to mortality of *Thalassia testudinum* in Florida Bay. *Bulletin of Marine Science* 54:733-746.
- Carter, V. and N. B. Rybicki. 1990. Light attenuation and submersed macrophyte distribution in the tidal Potomac River and Estuary. *Estuaries* 13:441-452.
- Carter, V., J. E. Paschal and N. Bartow. 1985. Distribution and abundance of submerged aquatic vegetation in the tidal Potomac River and Estuary, Maryland and Virginia, May 1978 to November 1981—A water quality study of the tidal Potomac River and Estuary, 223A, 46 pp. Water Supply Paper, U.S. Geological Survey.
- Carter, V., J. W. Barko, G. L. Godshalk and N. B. Rybicki. 1988. Effects of submersed macrophytes on water quality in the tidal Potomac River, Maryland. *Journal of Freshwater Ecology* 4:4 93-501.
- Carter, V., N. B. Rybicki and R. Hammerschlag. 1991. Effects of submersed macrophytes on dissolved oxygen, pH and temperature under different conditions of wind, tide and bed structure. *Journal of Freshwater Ecology* 6:121-133.
- Carter, V., N. B. Rybicki, J. M. Landwehr and M. Turtora. 1994. Role of weather and water quality in population dynamics of submersed macrophytes in the tidal Potomac River. *Estuaries* 17:417-426.
- Cattaneo, A. 1983. Grazing on epiphytes. *Limnology and Oceanography* 28:124-132.
- Cattaneo, A. 1987. Periphyton in lakes of different trophic. *Canadian Journal of Fisheries and Aquatic Sciences* 44:296-303.
- Cattaneo, A. and B. Mousseau. 1995. Empirical analysis of the removal rate of periphyton by grazers. *Oecologia* 103:249-254.
- Chambers, P. A. and J. Kalf. 1985. Depth distribution and biomass of submersed aquatic macrophyte communities in relation to Secchi depth. *Canadian Journal of Fisheries and Aquatic Sciences* 42:701-709.
- Chambers, P. A. 1987. Nearshore occurrence of submerged aquatic macrophytes in relation to wave action. *Canadian Journal of Fisheries and Aquatic Sciences* 44:1666-1669.
- Chesapeake Bay Program. 1997. Methodology for Generating One- and Two-Meter Low Water Contours to Support the Development of Chesapeake Bay Program Submerged Aquatic Vegetation Goals. Chesapeake Bay Program, Annapolis, Maryland.
- Chesapeake Executive Council. 1993. Directive No. 93-1 *Joint Tributary Strategy Statement*. Annapolis, Maryland.
- Chesapeake Executive Council. 1993. Directive No. 93-3 *Submerged Aquatic Vegetation Restoration Goals*. Annapolis, Maryland.
- Chesapeake Executive Council. 1997. Directive No. 97-1 *Baywide Nutrient Reduction Progress and Future Directions*. Annapolis, Maryland.
- Christopher, S. V. and K. T. Bird. 1992. The effects of herbicides on development of *Myriophyllum spicatum* *Journal of Environmental Quality* 21:203-207.
- Cloern, J. E. 1987. Turbidity as a control on phytoplankton biomass and productivity in estuaries. *Continental Shelf Research* 7:1367-1381.
- Congdon, R. A. and A. J. McComb. 1979. Productivity of *Ruppia*: seasonal changes and dependence on light in an Australian Estuary. *Aquatic Botany* 6:121-132.
- Cornwell, J. C., D. J. Conley, M. Owens and J. C. Stevenson. 1996. A sediment chronology of the eutrophication of Chesapeake Bay. *Estuaries* 19:488-499.

- Cumming, H. S., W. C. Purdy and H. P. Ritter. 1916. Investigations of the Pollution and Sanitary Conditions of the Potomac Watershed. *U.S. Public Health Service Hygienic Laboratory Bulletin #104*, 231 pp. U.S. Treasury Department.
- Cuthbert, I. D. and P. del Giorgio. 1992. Toward a standard method for measuring color in freshwater. *Limnology and Oceanography* 37:1319-1326.
- Czerny, A. B. and K. H. Dunton. 1995. The effects of in situ light reduction on the growth of two subtropical seagrasses, *Thalassia testudinum* and *Halodule wrightii*. *Estuaries* 18:418-427.
- Dan, A., A. Moriguchi, K. Mitsuhashi and T. Terawaki. 1998. Relationship between *Zostera marina* and bottom sediments, wave action offshore in Naruto, Southern Japan. *Fisheries Engineering* 34:229-204.
- Day, J. W., C. A. S. Hall, W. M. Kemp and A. Yanez-Arancibia. 1989. *Estuarine Ecology*. John Wiley and Sons, New York.
- De Jong and De Jong. 1992. Role of tide, light and fisheries in the decline of *Zostera marina* L. in the Dutch Wadden Sea. *Netherlands Institute for Sea Research Publication Series* 20:161-176.
- D'Elia, C. F., J. G. Sanders and W. R. Boynton. 1986. Nutrient enrichment studies in a coastal plain estuary: Phytoplankton growth in large-scale, continuous cultures. *Canadian Journal of Fisheries and Aquatic Sciences* 43:397-406.
- Dennison, W. C. 1987. Effects of light on seagrass photosynthesis, growth and depth distribution. *Aquatic Botany* 27:15-26.
- Dennison, W. C., R. J. Orth, K. A. Moore, J. C. Stevenson, V. Carter, S. Kollar, P. W. Bergstrom and R. A. Batiuk. 1993. Assessing water quality with submersed aquatic vegetation. Habitat requirements as barometers of Chesapeake Bay health. *Bioscience* 43:86-94.
- Dennison, W. C. and R. S. Alberte. 1982. Photosynthetic response of *Zostera marina* L. (eelgrass) to *in situ* manipulations of light intensity. *Oecologia* 55:137-144.
- Dennison, W. C. and R. S. Alberte. 1985. Role of daily light period in the depth distribution of *Zostera marina* (eelgrass). *Marine Ecology Progress Series* 25:51-61.
- Detenbeck, N. E., R. Hermanutz, K. Allen and M. C. Swift. 1996. Fate and the effects of the herbicide atrazine in flow-through wetland mesocosms. *Environmental Toxicology and Chemistry* 15 (6):937-946.
- Di Toro, D. M. 1978. Optics of turbid estuarine waters: Approximations and applications. *Water Research* 12:1059-1068.
- Dixon, L. K. 2000. Establishing light requirements for the seagrass *Thalassia testudinum*: an example from Tampa Bay, Florida. In: *Seagrass Monitoring, Ecology, Physiology, and Management*, ed. S. A. Bortone, pp. 9-32. CRC Press, Boca Raton, FL.
- Dixon, L. K. and J. R. Leverone. 1995. Light requirements of *Thalassia testudinum* in Tampa Bay, Florida, Report No. 425. Mote Marine Laboratory, Sarasota, Florida.
- Drew, E. A. 1978. Factors affecting photosynthesis and its seasonal variation in the seagrasses *Cymodocea nodosa* (Ucria) Aschers and *Posidonia oceanica* (L.) Delile in the Mediterranean. *Journal of Experimental Marine Biology and Ecology* 31:173-194.
- Drew, E. A. 1979. Physiological aspects of primary production in seagrasses. *Aquatic Botany* 7:139-150.
- Duarte, C. M. 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41:87-112.
- Duarte, C. M. 1991a. Seagrass depth limits. *Aquatic Botany* 40:363-377.
- Duarte, C. M. 1991b. Allometric scaling of seagrass form and productivity. *Marine Ecology Progress Series* 77:289-300.
- Duarte, C. M. and J. Kalf. 1990. Patterns in the submerged macrophyte biomass of lakes and the importance of the scale of analysis in the interpretation. *Canadian Journal of Fisheries and Aquatic Sciences* 47:357-363.
- Duarte, C. M. and J. Kalf. 1987. Latitudinal influences on the depths of maximum colonization and maximum biomass of submerged angiosperms in lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 44:1759-1764.
- Dubinsky, Z. 1980. Light utilization efficiency in natural phytoplankton communities, pp. 83-89. In: *Primary productivity in the sea*, ed. P. G. Falkowski, 531 pp. Plenum, New York.
- Dunton, K. H. 1994. Seasonal growth and biomass of the subtropical seagrass *Halodule wrightii* in relation to continuous measurements of underwater irradiance. *Marine Biology* 120:479-489.
- Dunton, K. H. 1996. Photosynthetic production and biomass of the subtropical seagrass *Halodule wrightii* along an estuarine gradient. *Estuaries* 19:436-447.
- Dunton, K. H. and D. A. Tomasko. 1991. Seasonal variations in the photosynthetic performance of *Halodule wrightii* measured *in situ* in Laguna Madre, Texas. In: *The light requirements of seagrass*, eds. W. J. Kenworthy and D.E. Haunert, 71-78. NOAA Technical Memorandum NMFS-SEFC-287.
- Dunton, K. H. and D. A. Tomasko. 1994. *In situ* photosynthesis in the seagrass *Halodule wrightii* in a hypersaline subtropical lagoon. *Marine Ecology Progress Series* 107:281-293.
- Edgar, G. J. and C. Shaw. 1995. The production and trophic ecology of shallow-water fish assemblages in southern

- Australia. III. General relationships between sediments, seagrasses, invertebrates and fishes. *Journal of Experimental Marine Biology and Ecology* 194:107-131.
- Eleuterius, L. N. and G. J. Miller. 1976. Observations on seagrasses and seaweeds in Mississippi Sound since Hurricane Camille. *Journal of the Mississippi Academy of Sciences* 21:58-63.
- Elwany, M. H. S., W. C. O'Reilly, R. T. Guza and R. E. Flick. 1995. Effects of Southern California kelp beds on waves. *J. Waterw. Port Coast. Oc. Engineer.* 121:143-150.
- Evans, A. S., K. L. Webb and P. A. Penhale. 1986. Photosynthetic temperature acclimation in two coexisting seagrasses, *Zostera marina* L. and *Ruppia maritima* L. *Aquatic Botany* 24:185-197.
- Fair, P. and L. Meeke. 1983. Seasonal variations in the pattern of photosynthesis and possible adaptive response to varying light flux regimes in *Ceratophyllum demersum* L. *Aquatic Botany* 15:81-90.
- Fairchild, J. F., T. W. La Point and T. R. Schwartz. 1994. Effects of an herbicide and insecticide mixture in aquatic mesocosms. *Archives of Environmental Contamination and Toxicology* 27:527-533.
- Fisher, T. R., E. R. Peele, J. W. Ammerman and L. W. Harding, Jr. 1992. Nutrient limitation of phytoplankton in Chesapeake Bay. *Marine Ecology Progress Series* 82:51-63.
- Fisher, T. R., A. B. Gustafson, K. Sellner, R. Lacuture, L. W. Hass, R. Magnien, R. Karrh and B. Michael. 1999. Spatial and temporal variation of resource limitation in Chesapeake Bay. *Marine Biology* 133:763-778.
- Fitzpatrick, J. and H. Kirkman. 1995. Effects of prolonged shading on growth and survival of seagrass *Posidonia australis* in Jervis Bay, New South Wales, Australia. *Marine Ecology Progress Series* 127:279-289.
- Fleming, W. J., J. J. Momot, and M. S. Ailstock. 1988. Bioassay for phytotoxicity of toxicants to sago pondweed. Understanding the Estuary: Advances in Chesapeake Bay Research, Proceedings of a Conference. 29-31 March 1988. Baltimore, Maryland. Chesapeake Research Consortium Publication 129. CBP/TRS 21488.
- Fleming, W. J., M. S. Ailstock and J. J. Momot. 1991. Response of sago pondweed, a submerged aquatic macrophyte, to herbicides in three laboratory culture systems. In: Plants for Toxicity Assessment: Second Volume, ASTM STP 1115, eds., J. W. Gorsuch, W. R. Lower, W. Wang and M. A. Lewis, 267-275. American Society for Testing and Materials, Philadelphia, Pennsylvania.
- Fleming, W. J., M. S. Ailstock and J. J. Momot. 1993. Net photosynthesis and respiration of sago pondweed (*Potamogeton pectinatus*) exposed to herbicides. Third Symposium on Environmental Toxicology and Risk Assessment: Aquatic, Plant, and Terrestrial, ASTM STP, eds. J. Hughes, G. Biddinger and E. Mones. American Society for Testing and Materials, Philadelphia, Pennsylvania.
- Fong, P., M. Hacobson, M. Mescher, D. Lirman and M. Harwell. 1997. Investigating the management potential of a seagrass model through sensitivity analysis and experiments. *Ecological Applications* 7:300-315.
- Fonseca, M. S. 1996. The role of seagrasses in nearshore sediment processes: A review. In: Estuarine Shores: Evolution, Environments and Human Alterations, eds. K. F. Nordstrom and C. J. Roman, 261-286. John Wiley and Sons, New York.
- Fonseca, M. S. and J. A. Cahalan. 1992. A preliminary evaluation of wave attenuation by four species of seagrass. *Estuarine, Coastal and Shelf Science* 35:565-576
- Fonseca, M. S. and J. S. Fisher. 1986. A comparison of canopy friction and sediment movement between four species of seagrass with reference to their ecology and restoration. *Marine Ecology Progress Series* 29:15-22.
- Fonseca, M. S., J. S. Fisher, J. C. Zieman, and G. W. Thayer. 1982. Influence of the seagrass *Zostera marina* on current flow. *Estuarine, Coastal and Shelf Science* 15:351-364.
- Fonseca, M. S. and S. S. Bell. 1998. Influence of physical setting on seagrass landscapes near Beaufort, North Carolina, U.S.A. *Marine Ecology Progress Series* 171:109-121.
- Fonseca, M. S. and W. J. Kenworthy. 1987. Effects of current on photosynthesis and distribution of seagrasses. *Aquatic Botany* 27:59-78.
- Forsyth, D. J., P. A. Martin, and G. G. Shaw. 1997. Effects of herbicides on two submersed aquatic macrophytes, *Potamogeton pectinatus* L. and *Myriophyllum sibiricum* Komarov, in a prairie wetland. *Environmental Pollution* 95 (2):259-268.
- Fourqurean, J. W. and J. C. Zieman. 1991a. Photosynthesis, respiration, and whole plant carbon budgets of *Thalassia testudinum*, *Halodule wrightii* and *Syringodium filiforme*. In: The light requirements of seagrass, eds. W. J. Kenworthy and D. E. Haurert, 59-70. NOAA Technical Memorandum NMFS- SEFC-287.
- Fourqurean, J. W. and J. C. Zieman. 1991b. Photosynthesis, respiration and whole plants carbon budget of the seagrass *Thalassia testudinum*. *Marine Ecology Progress Series* 69:161-170.
- Fredette, T. J., R. J. Diaz, J. V. Monterans and R. J. Orth. 1990. Secondary production within a seagrass bed (*Zostera marina* and *Ruppia maritima*) in lower Chesapeake Bay. *Estuaries* 13:431-440.

- Gallegos, C. L. 1994. Refining habitat requirements of submersed aquatic vegetation: role of optical models. *Estuaries* 17:198-219.
- Gallegos, C. L., D. L. Correll and J. W. Pierce. 1990. Modeling spectral diffuse attenuation, absorption and scattering coefficients in a turbid estuary. *Limnology and Oceanography* 35:1486-1502.
- Gallegos, C. L. and W. J. Kenworthy. 1996. Seagrass depth limits in the Indian River Lagoon (Florida, U.S.A.): application of an optical water quality model. *Estuarine, Coastal and Shelf Science* 42:267-288.
- Gallegos, M. E., N. Marba, M. Merino and C. M. Duarte. 1993. Biomass and dynamics of *Thalassia testudinum* in the Mexican Caribbean: Elucidating rhizome growth. *Marine Ecology Progress Series* 95:185-192.
- Gambi, M. C., A. R. M. Nowell and P. A. Jumars. 1990. Flume observations on flow dynamics in *Zostera marina* (eelgrass) beds. *Marine Ecology Progress Series* 61:159-169.
- Gambrell, R. P. and W. H. Patrick, Jr. 1978. Chemical and microbiological properties of anaerobic soils and sediments. In: Plant Life in Anaerobic Environments, eds. D. D. Hook and R. M. M. Crawford, 375-423. Ann Arbor Science Publishers, Inc.
- Garg, P., R. D. Tripathi, U. N. Rai, S. Sinha and P. Chandra. 1997. Cadmium accumulation and toxicity in submerged plant *Hydrilla verticillata* (L.F.) Royle. *Environmental Monitoring and Assessment* 47: 167-173.
- Geider, R. J. 1987. Light and temperature dependence of the carbon to chlorophyll *a* ratio in microalgae and cyanobacteria: Implications for physiology and growth of phytoplankton. *New Phytologist* 106:1-34.
- Giesen, W. B. J. T., M. M. van Katwijk and C. den Hartog. 1990. Eelgrass condition and turbidity in the Dutch Wadden Sea. *Aquatic Botany* 37:71-85.
- Glazer, Brian T. 1999. Analysis of physical, chemical, and biological factors inhibiting growth and restoration of submerged vascular plants in Delaware's Indian River and Rehoboth Bays. MS Thesis, University of Delaware, Newark, Delaware.
- Goldsborough, W. J. and W. M. Kemp. 1988. Light responses of a submersed macrophyte: Implications for survival in turbid tidal waters. *Ecology* 69:1775-1786.
- Goodman, J. L., K. A. Moore and W. C. Dennison. 1995. Photosynthetic responses of eelgrass (*Zostera marina*) to light and sediment sulfide in a shallow barrier lagoon. *Aquatic Botany* 50:37-48.
- Gordon, D. M., K. A. Grey, S. C. Chase and C. J. Simpson. 1994. Changes to the structure and productivity of a *Posidonia sinuosa* meadow during and after imposed shading. *Aquatic Botany* 47:265-275.
- Grady, J. R. 1981. Properties of seagrass and sand flat sediments from the intertidal zone of St. Andrews Bay, Florida. *Estuaries* 4:335-344.
- Grizzle, R. E., F. T. Short, C. R. Newell, H. Hoven and L. Kindblom. 1996. Hydrodynamically induced synchronous waving of seagrasses: 'Monami' and its possible effects on larval mussel settlement. *Journal of Experimental Marine Biology and Ecology* 206:165-177.
- Grouselle, M., T. Grollier, A. Feurtet-Mazel, F. Ribeyre and A. Boudou. 1995. Herbicide Isoproturon-specific binding in the freshwater macrophyte *Elodea densa*—a single-cell fluorescence study. *Ecotoxicology and Environmental Safety* 32:254-259.
- Gupta, M. and P. Chandra. 1994. Lead accumulation and toxicity in *Vallisneria spiralis* (L.) and *Hydrilla verticillata* (L.F.) Royle. *Journal of Environmental Science and Health A29*(3):503-516.
- Gupta, M., U. N. Rai, R. D. Tripathi and P. Chandra. 1995. Lead induced changes in glutathione and phytochelatin in *Hydrilla verticillata* (L.F.) Royle. *Chemosphere* 30(10):2011-2020.
- Hall, L. W. Jr., R. D. Anderson and M. S. Ailstock. 1997. Chronic toxicity to atrazine to sago pondweed at a range of salinities: Implications for criteria development and ecological risk. *Archives of Environmental Contamination and Toxicology* 33:261-267.
- Hamoutene, D., M. Roméo, M. Gnassia and M. Lafaurie. 1996. Cadmium effects on oxidative metabolism in a marine seagrass: *Posidonia oceanica*. *Bulletin of Environmental Contamination and Toxicology* 56:327-334.
- Hannan, H. H. 1967. Macrophyte standing crop and metabolism in a constant temperature river. Ph.D. dissertation, Oklahoma State University, Stillwater, Oklahoma.
- Harding, L. W. and E. S. Perry. 1997. Long-term increase of phytoplankton biomass in Chesapeake Bay, 1950-1994. *Marine Ecology Progress Series* 157:39-52.
- Harley, M. T. and S. Findlay. 1994. Photosynthesis and irradiance relationships for three species of submersed macrophytes in the tidal freshwater Hudson River. *Estuaries* 17:200-205.
- Haslam, S. M. 1978. *River Plants: The Macrophytic Vegetation of Watercourses*, 396 pp. Cambridge University Press, New York
- Herzka, S.Z. and K.H. Dunton. 1997. Seasonal photosynthetic patterns of the seagrass *Thalassia testudinum* in the western Gulf of Mexico. *Marine Ecology Progress Series* 152:103-117.
- Hicks, S. D. 1964. Tidal wave characteristics of Chesapeake Bay. *Chesapeake Science* 5:103-113.

- Hine, A. C., M. W. Evans, R. A. Davis and D. Belknap. 1987. Depositional response to seagrass mortality along a low-energy, barrier island coast: West-Central Florida. *J. Sedim. Petrol.* 57:431-439.
- Hinman, M. L. and S. J. Klaine. 1992. Uptake and translocation of selected organic pesticides by the rooted aquatic plant *Hydrilla verticillata* Royle. *Environmental Science and Technology* 26:609-613.
- Holmer, M. and S. L. Nielsen. 1997. Sediment sulfur dynamics related to biomass-density patterns in *Zostera marina* (eelgrass) beds. *Marine Ecology Progress Series* 146:163-171.
- Homziak, J., M. S. Fonseca and W. J. Kenworthy. 1982. Macrobenthic community structure in a transplanted eelgrass (*Zostera marina*) meadow. *Marine Ecology Progress Series* 9:211-221.
- Hootsmans, M. J. M. 1991. A growth analysis model for *Potamogeton pectinatus* L., 264-310. In: Macrophytes, a key to understanding changes caused by eutrophication in shallow freshwater ecosystems, eds. M. Hootsmans and J. Vermaat, Report No. 21. Institute for Hydraulic and Environmental Engineering, Delft, the Netherlands.
- Hootsmans, M. J. M. and J. E. Vermaat. 1985. The effect of periphyton-grazing by three epifaunal species on the growth of *Zostera marina* L. under experimental conditions. *Aquatic Botany* 22:83-88.
- Horner, R. R., E. B. Welch, M. R. Seeley and J. M. Jacoby. 1990. Responses of periphyton to changes in current velocity, suspended sediment and phosphorus concentration. *Freshwater Biology* 24:215-232.
- Howard, R. K. and F. T. Short. 1986. Seagrass growth and survivorship under the influence of epiphyte grazers. *Aquatic Botany* 24:287-302.
- Howard-Williams, C. and M. R. M. Liptrot. 1980. Submerged macrophyte communities in a brackish South African estuary. *Aquatic Botany* 9:101-116.
- Howarth, R.W. 1984. The ecological significance of sulfur in the energy dynamics of salt marsh and coastal marine sediments. *Biogeochemistry* 1:5-27
- Huebert, D. B. and J. M. Shay. 1992. Zinc toxicity and its interaction with cadmium in the submerged aquatic macrophyte *Lemna trisulca* L. *Environmental Toxicology and Chemistry* 11:715-720.
- Hutchinson, G. E. 1975. *A treatise of limnology, limnological botany*. John Wiley and Sons, New York.
- Idestam-Almquist, J. and L. Kautsky. 1995. Plastic responses in morphology of *Potamogeton pectinatus* to sediment and above-sediment conditions at two sites in the northern Baltic proper. *Aquatic Botany* 52:205-216.
- Isaksen, M. F. and K. Finster. 1996. Sulphate in the root zone of a seagrass bed (*Zostera noltii*) in a tidal area, the basin of Arcachon, France. *Marine Ecology Progress Series* 137:187-194.
- Jeffrey, S. W. 1981. Algal pigment systems. *Brookhaven Symposium in Biology* 37:33-58.
- Jernakoff, P., A. Brearley and J. Nielsen. 1996. Factors affecting grazer-epiphyte interactions in temperate seagrass meadows. In: *Oceanography and Marine Biology: An Annual Review* 34:109-162, eds. R. N. G. A.D. Ansell, M. Barnes. UCL Press.
- Joanen, T. and L. L. Glasgow. 1965. Factors influencing the establishment of widgeon grass stands in Louisiana. *Southeastern Assoc. Game Fisheries Commission Conference* 19:78-92.
- Johnstone, I. M. and P. W. Robinson. 1987. Light level variation in Lake Tutira after transient sediment inflow and its effect of the submersed macrophytes. *New Zealand Journal of Marine and Freshwater Research* 21:47-53.
- Joye, S. B. and J. T. Hollibaugh. 1995. Influence of sulfide inhibition of nitrification on nitrogen regeneration in sediments. *Science* 270:623-625.
- Jumars, P., J. Eckman and E. W. Koch (accepted). Direct and indirect effects of fluid dynamics on macroscopic benthos. In: *The Benthic Boundary Layer: Transport Processes and Biogeochemistry*, eds. B.P. Boudreau and B.B. Jorgensen. Oxford University Press (in press).
- Karrh, L. 1999. *Comparison of Nearshore and Midchannel Water Quality Conditions*, 200 pp. Chesapeake Bay Program, Annapolis, Maryland.
- Keddy, P. A. 1982. Quantifying within-lake gradients of wave energy: Interrelationships of wave energy, substrate particle size and shoreline plants in Axe Lake, Ontario. *Aquatic Botany* 14:41-58.
- Keefe, C. W., D. A. Flemer and D. H. Hamilton. 1976. Seston distribution in the Patuxent River Estuary. *Chesapeake Science* 17:56-59.
- Kemp, W. M., W. R. Boynton, J. J. Cunningham, J. C. Stevenson, T. W. Jones, and J. C. Means. 1985. Effects of atrazine and linuron on photosynthesis and growth of macrophytes, *Potamogeton perfoliatus* L. and *Myriophyllum spicatum* L., in an estuarine environment. *Marine Environmental Research* 16:255-280
- Kemp, W. M., W. R. Boynton and A. J. Hermann. 1995. Simulation models of an estuarine macrophyte ecosystem. In: *Complex Ecology*, eds. B. Patten and S. E. Jørgensen, 262-278. Prentice Hall, Englewood Cliffs, New Jersey.

- Kemp, W. M., L. Murray, W. R. Boynton, C. Madden, R. L. Wetzel and F. Vera Herrera. 1989. Light relations for the seagrass, *Thalassia testudinum*, and its epiphytic algae in a tropical estuarine environment. pp. 193-206. In: Ecology of Laguna de Terminos, eds. A. Yanez-Arancibia and J. Day. UNAM Pub., Mexico.
- Kemp, W. M., W. R. Boynton, J. C. Stevenson, R. R. Twilley and J. C. Means. 1983. The decline of submerged vascular plants in upper Chesapeake Bay: Summary of results concerning possible causes. *Marine Technology Society Journal* 17:78-89.
- Kemp, W. M., W. R. Boynton, R. R. Twilley, J. C. Stevenson and L. G. Ward. 1984. Influences of submersed vascular plants on ecological processes in the upper Chesapeake Bay. In: The estuary as a filter, ed. V. S. Kennedy, 367-394. Academy Press, New York.
- Kemp, W. M., S. Pusaric, A. Faganeli, E. Smith and W. Boynton. 1999. Pelagic-benthic coupling and nutrient cycling. In: Ecosystems at the land-sea margin: Drainage basin to coastal sea, eds. T. Malone, A. Malej, L. Harding, N. Smoldaka and R. Turner, 295-339. American Geophysical Union Publication, Washington, D. C.
- Kendrick, G. A. and J. S. Burt. 1997. Seasonal changes in epiphytic macroalgae assemblages between offshore exposed and inshore protected *Posidonia sinuosa* Cambridge et Kue Seagrass meadows, Western Australia. *Botanica Marina* 40:77-85.
- Kenworthy, W. J., J. C. Zieman and G. W. Thayer. 1982. Evidence for the influence of seagrasses on the benthic nitrogen cycle in a coastal plain estuary near Beaufort, North Carolina (USA). *Oecologia* 54:152-158.
- Kenworthy, W. J. and M. S. Fonseca. 1996. Light requirements of seagrasses *Halodule wrightii* and *Syringodium filiforme* derived from the relationship between diffuse light attenuation and maximum depth distribution. *Estuaries* 19:740-750.
- Kenworthy, W. J., M. S. Fonseca and S. J. DiPiero. 1991. Defining the ecological light compensation point for seagrasses *Halodule wrightii* and *Syringodium filiforme* from long-term submarine light regime monitoring in the southern Indian River. In: The light requirements of seagrass, eds. W.J. Kenworthy and D.E. Haurert, 106-113. NOAA Technical Memorandum NMFS-SEFC-287.
- Kimber, A., J. L. Owens and W. G. Crumpton. 1995. Light availability and growth of wild celery (*Vallisneria spiralis*) in upper Mississippi River backwaters. *Regulated Rivers: Research and Management* 11:167-174.
- Kirk, J. T. O. 1981. Estimation of the scattering coefficient of natural waters using underwater irradiance measurements. *Australian Journal of Marine and Freshwater Research* 32:533-539.
- Kirk, J. T. O. 1984. Attenuation of solar radiation in scattering-absorbing waters: A simplified procedure for its calculation. *Applied Optics* 23:3737-3739.
- Kirk, J. T. O. 1994. *Light and photosynthesis in aquatic ecosystems*. Cambridge University Press, Cambridge.
- Kobayashi, N., A. Raichle and T. Asano. 1993. Wave attenuation by vegetation. *J. Waterway, Port, Coastal and Ocean Engineering* 119:30-48.
- Koch, E. W. and G. Gust. 1999. Water flow in tide and wave dominated beds of the seagrass *Thalassia testudinum*. *Marine Ecology Progress Series* 198:63-72.
- Koch, E. W. 1993. The effects of water flow on photosynthetic processes of the alga *Ulva lactuca* L. *Hydrobiology* 260/261:457-462.
- Koch, E. W. 1996. Hydrodynamics of a shallow *Thalassia testudinum* bed in Florida, USA. In: Seagrass Biology: Proceedings of an International Workshop, eds. J. Kuo, R. C. Phillips, D. I. Walker and H. Kirkman, 105-109. Koch, E. W. 1994. Hydrodynamics, diffusion-boundary layers and photosynthesis of the seagrasses *Thalassia testudinum* and *Cymodocea nodosa*. *Marine Biology* 118:767-776.
- Koch, E. W. 1999. Preliminary evidence on the interdependent effect of currents and porewater geochemistry on *Thalassia testudinum* seedlings. *Aquatic Botany* 63:95-102.
- Koch, E. W. and S. Beer. 1996. Tides, light and the distribution of *Zostera marina* in Long Island Sound, U.S.A. *Aquatic Botany* 53:97-107.
- Koehl, M. A. R. and S. E. Worcester. 1991. Effects of seagrass on water flow at several biologically-important spatial scales. *Proceedings of the 11th International Estuarine Research Federation Conference*.
- Kuhn, W. A. 1992. Interacting effects of light and sediment sulfide on eelgrass (*Zostera marina*) growth. MS Thesis, University of Maryland, College Park, Maryland.
- Lamers, L. P. M., H. B. M. Tomassen and J. G. M. Roelofs. 1998. Sulfate-induced eutrophication and phytotoxicity in freshwater wetlands. *Environmental Science and Technology* 32:199-205.
- Langeland, K. A., A. M. Fox, F. B. Laroche, B. B. Martin, D. F. Martin, C. D. Norris and C. Wang. 1994. Diquat distribution in water after application to submersed weeds. *Water Resources Bulletin* 30(1):93-97.
- Lapointe, B. E., D. A. Tomasko, W. R. Matzie, J. M. Prospero and C. C. Harwell. 1994. Eutrophication and trophic state classification of seagrass communities in the Florida Keys. *Bull. Mar. Sci.* 54:696-717.
- Lee, K. and K. H. Dunton. 1997. Effects of *in situ* light reduction on the maintenance, growth and partitioning of carbon resources in *Thalassia testudinum*

- Banks ex König. *Journal of Experimental Marine Biology and Ecology* 210:53-73.
- Liang, J. and J. J. Schoenau. 1996. Speciation in metal contaminated soils as revealed by an ion exchange resin membrane fractionation procedure. *Communications in Soil Science and Plant Analysis* 27(18-20):3013-3026.
- Likens, G.A. 1985. An ecosystem approach to aquatic ecology. Springer-Verlag, New York. 516 pp.
- Lin, H., S. W. Nixon, D. I. Taylow, S. L. Granger and B. A. Buckley. 1996. Responses of epiphytes on eelgrass, *Zostera marina* L., to separate and combined nitrogen and phosphorus enrichment. *Aquatic Botany* 52:243-258.
- Livingston, R. J., S. E. McGlynn and X. Niu. 1998. Factors controlling seagrass growth in a gulf coastal system: Water and sediment quality and light. *Aquatic Botany* 60:135-159.
- Lloyd, N. D. H., D. T. Canvin and J. M. Bristow. 1977. Photosynthesis and photorespiration in submerged aquatic vascular plants. *Canadian Journal of Botany* 55:3001-3005.
- Lorenzen, C. J. 1972. Extinction of light in the ocean by phytoplankton. *Journal du Conseil, Conseil International pour L'Exploration de la Mer* 34:262-267.
- Lovett-Doust, L., J. Lovett-Doust and M. Biernacki. 1994. American wild celery, *Vallisneria americana*, as a bio-monitor of organic contaminants in aquatic ecosystems. *Journal of Great Lakes Research* 20(2):333-354.
- Lubbers, L., W. R. Boynton and W. M. Kemp. 1990. Variations in structure of estuarine fish communities in relation to abundance of submersed vascular plants. *Marine Ecology Progress Series* 65:1-14.
- Maberly, S. C. 1983. The interdependence of photon irradiance and free carbon dioxide or bicarbonate concentrations on the photosynthetic compensation points of freshwater plants. *New Phytol.* 93:1-12.
- Madden, C. J. and W. M. Kemp. 1996. Ecosystem model of an estuarine submersed plant community: Calibration and simulation of eutrophication responses. *Estuaries* 19 (2B):457-474.
- Madsen, J. D., C. F. Hartleb and C. W. Boylen. 1991. Photosynthetic characteristics of *Myriophyllum spicatum* and six submersed aquatic macrophyte species native to Lake George, New York. *Freshwater Biology* 26:233-240.
- Madsen, J. D. and M. S. Adams. 1989. The light and temperature dependence of photosynthesis and respiration in *Potamogeton pectinatus* L. *Aquatic Botany* 36:23-31.
- Madsen, T. V. 1987. Sources of inorganic carbon acquired through CAM in *Littorella uniflora*. *Journal of Experimental Botany* 38:367-377.
- Madsen, T. V. and E. Warnke. 1983. Velocities of currents around and within submerged aquatic vegetation. *Arch. Hydrobiol.* 97:389-394.
- Madsen, T. V. and K. Sand-Jensen. 1991. Photosynthetic carbon assimilation in aquatic macrophytes. *Aquatic Botany* 41:5-40.
- Madsen, T. V. and M. Sondergaard. 1983. The effects of current velocity on photosynthesis of *Callitriche stagnalis*. *Aquatic Botany* 15:187-193.
- Malone, T. C. 1976. Phytoplankton productivity in the apex of the New York Bight: Environmental regulation of productivity/chlorophyll *a*, pp. 260-272. In: The Middle Atlantic Shelf and New York Bight, ed. M. G. Gross. *Limnology and Oceanography Special Symposium* 2.
- Marba, N. and C. M. Duarte. 1994. Growth response of the seagrass *Cymodocea nodosa* to experimental burial and erosion. *Marine Ecology Progress Series* 107:307-311.
- Marba, N., J. Cebrian, S. Enriquez and C. Duarte. 1994. Migration of large-scale subaqueous bedforms measured with seagrasses (*Cymodocea nodosa*) as tracers. *Limnology and Oceanography* 39:126-133.
- Marsh, J. A., W. C. Dennison and R. S. Alberte. 1986. Effects of temperature on photosynthesis and respiration in eelgrass (*Zostera marina* L.). *Journal of Experimental Marine Biology and Ecology* 101:257-267.
- Martin, A. C. and F. M. Uhler. 1939. Food of game ducks in the United States and Canada. *U.S. Department of Agriculture Technical Bulletin* 634, 308 pp.
- Mateo, M. A., J. Romero, M. Perez, M. M. Littler and D. S. Littler. 1997. Dynamics of millenary organic deposits resulting from growth of the Mediterranean seagrass *Posidonia oceanica*. *Estuarine Coastal and Shelf Science* 44:103-110.
- Mazzella, L., D. Mauzerall and R. S. Alberte. 1980. Photosynthetic light adaptation features of *Zostera marina* L. (eelgrass). *The Biological Bulletin* 159:500.
- Mazzella, L. and R. S. Alberte. 1986. Light adaptation and the role of autotrophic epiphytes in primary production of the temperate seagrass, *Zostera marina* L. *Journal of Experimental Marine Biology and Ecology* 100:165-180.
- McAllister, L. S. 1991. Factors influencing the distribution of submerged macrophytes in Green Bay, Lake Michigan: A focus on light attenuation and *Vallisneria americana*. M.S. thesis, University of Wisconsin, Green Bay, Wisconsin.

- McGlathery, K. J. 1995. Nutrient and grazing influences on a subtropical seagrass community. *Marine Ecology Progress Series* 122:239-252.
- McRoy, C. P. 1974. Seagrass productivity: Carbon uptake experiments in eelgrass, *Zostera marina*. *Aquaculture* 4:131-137.
- Merrell, K. C. 1996. The effects of flow and mixing on *Valisneria* and its associated community in experimental mesocosms. M.S. thesis, University of Maryland, College Park, Maryland.
- Meyer, B. S. and A. C. Heritage. 1941. Effect of turbidity and depth of immersion on apparent photosynthesis in *Ceratophyllum demersum*. *Ecology* 22:17-22.
- Middleboe, A. L. and S. Markager. 1997. Depth limits and minimum light requirements of freshwater macrophytes. *Freshwater Biology* 37:553-568.
- Mishra, S. and S. C. Sabat. 1995. Photosynthetic electron transport in *Hydrilla verticillata* L. is insensitive to methylviologen (paraquat) inhibition. *Biochemical and Biophysical Research Communications* 212(1): 132-137.
- Mobley, C. D., B. Gentili, H. R. Gordon, Z. Jin, G. W. Kattawar, A. Morel, P. Reinersman, K. Stamnes and R. H. Stavn. 1993. Comparison of numerical models for computing underwater light fields. *Applied Optics* 32:1-21.
- Moore, K. A. 1996. Relationships between seagrass growth and survival and environmental conditions in a lower Chesapeake Bay tributary. Ph.D. dissertation, University of Maryland, College Park, Maryland, 188 pp.
- Moore, K.A., H.A. Neckles and R. J. Orth. 1996. *Zostera marina* (eelgrass) growth and survival along a gradient of nutrients and turbidity in the lower Chesapeake Bay. *Marine Ecology Progress Series* 142:247-259.
- Moore, K.A. 1991. Field studies of the effects of variable water quality on temperate seagrass growth and survival. In: The light requirements of seagrass, eds. W. J. Kenworthy and D. E. Hauxert, pp. 42-57. *NOAA Technical Memorandum NMFS-SEFC-287*.
- Moore, K. A., J. L. Goodman, J. C. Stevenson, L. Murray and K. Sundberg. 1994. Chesapeake Bay nutrients, light and SAV in field and mesocosm studies. Chesapeake Bay Program, Annapolis, Maryland.
- Moore, K. A., R. J. Orth and J. F. Nowak. 1993. Environmental regulation of seed germination in *Zostera marina* (eelgrass) in Chesapeake Bay: Effects of light, oxygen and sediment burial. *Aquatic Botany* 45:79-91.
- Moore, K. A., R. L. Wetzel, and R. J. Orth. 1997. Seasonal pulses of turbidity and their relations to eelgrass (*Zostera marina* L.) survival in an estuary. *Journal of Experimental Marine Biology and Ecology* 215:115-134.
- Morel, A. 1988. Optical modeling of the upper ocean in relation to its biogenous matter content (Case I waters). *Journal of Geophysical Research* 93:10,749-10,768.
- Mork, M. 1996. The effect of kelp in wave damping. *Sarsia* 80:323-327.
- Murphey, P. L. and M. S. Fonseca. 1995. Role of high- and low-energy seagrass beds as nursery areas for *Penaeus duorarum* in North Carolina. *Marine Ecology Progress Series* 121:91-98.
- Neckles, H. A. 1990. Relative effects of nutrient enrichment and grazing on epiphyte-macrophyte (*Zostera marina* L.) dynamics. Ph.D. thesis, College of William and Mary, Gloucester Point, Virginia, 106 pp.
- Neckles, H. A., R. L. Wetzel and R. J. Orth. 1993. Relative effects of nutrient enrichment and grazing on epiphyte-macrophyte (*Zostera marina* L.) dynamics. *Oecologia* 93:285-295.
- Nepf, H. M. and E. W. Koch. 1999. Vertical secondary flows in submersed plant-like arrays. *Limnology and Oceanography* 44:1072-1080.
- Nepf, H. M., J. A. Sullivan, R. A. Zavistoski. 1997. A model for diffusion within emergent vegetation. *Limnology and Oceanography* 42:1735-1745.
- Netherland, M. D. and C. A. Lembi. 1992. Gibberellin synthesis inhibitor effects on submersed aquatic weed species. *Weed Science* 40:29-36.
- Neundorfer, J. V. 1990. Relative effects of nitrogen and phosphorus additions to waters overlying estuarine populations of two submersed vascular plants. MS thesis, University of Maryland, College Park, Maryland, 103 pp.
- Neundorfer, J. V. and W. M. Kemp. 1993. Nitrogen versus phosphorus enrichment of brackish waters: Response of *Potamogeton perfoliatus* and its associated algal communities. *Marine Ecology Progress Series* 94:71-82.
- Newell, S. Y., J. W. Fell and C. Miller. 1986. Deposit and decomposition of turtlegrass leaves. *Int. Revue ges. Hydrobiol.* 71:363-369.
- Nienhuis, P. H. 1983. Temporal and spatial patterns of eelgrass (*Zostera marina* L.) in a former estuary in The Netherlands, dominated by human activities. *Marine Technology Society Journal* 17:69-77.
- Onuf, C. P. 1991. Light requirements of *Halodule wrightii*, *Syringodium filiforme* and *Halophila engelmanni* in a heterogeneous and variable environments inferred from long-term monitoring. In: The light requirements of seagrass, eds. W. J. Kenworthy and D. E. Hauxert, 85-94. *NOAA Technical Memorandum NMFS-SEFC-287*.

- Orr, P. T. 1988. Photosynthetic response of *Myriophyllum salsgineum* A. E. Orchard to photon irradiance, temperature and external free CO₂. *Aquatic Botany* 22(4): 363-378.
- Orth, R. J. 1977. The importance of sediment stability in seagrass communities. In: Ecology of Marine Benthos, ed. B.C. Coull, pp. 281-300. University of South Carolina Press, Columbia, South Carolina.
- Orth, R. J. and J. Van Montfrans. 1984. Epiphyte-seagrass relationships with an emphasis on the role of micrograzing: A review. *Aquatic Botany* 18:43-69.
- Ostenfield, C. H. 1908. In: The ecology and distribution of the seagrass wrack (*Zostera marina*) in Danish Waters, 62 pp. *Report of the Danish Biological Station*, Copenhagen, Denmark.
- Parham, T. 1996. Analysis of SAV and Shellfish Habitat in the Patuxent River and Choptank River Tributaries, 32 pp. Chesapeake Bay Program, Annapolis, Maryland.
- Pascal, J. E., D. R. Miller, N. C. Barttow and V. Carter. 1982. Submersed aquatic vegetation in the Potomac River and Estuary of Maryland, Virginia and the District of Columbia. In: Hydrologic Data Report, May 1978 to November 1981. *U.S. Geological Survey Report* 82-694.
- Patten, B. C., Jr. 1956. Notes on the biology of *Myriophyllum spicatum* L. in New Jersey lake. *Bulletin of the Torrey Botany Club* 83:5-18.
- Pearsall, W. H. 1920. The aquatic vegetation of the English lakes. *Journal of Ecology* 8:163-199.
- Penhale, P. A. 1977. Macrophyte-epiphyte biomass and productivity in an eelgrass (*Zostera marina*) community. *Journal of Experimental Marine Biology and Ecology* 26:211-224.
- Pennock, J. R. 1985. Chlorophyll distributions in the Delaware Estuary: Regulation by light limitation. *Estuarine, Coastal and Shelf Science* 21:711-725.
- Perry, C. J. and W. C. Dennison. Seagrass/sediment interactions: Bacterial productivity, nitrogen fixation and sulfate reduction. *Marine Ecology Progress Series* (submitted).
- Peterson, H. G., N. Nyholm, M. Nelson, R. Powell, P. M. Huang and R. Scroggins. 1996. Development of aquatic plant bioassays for rapid screening and interpretive risk assessments of metal mining liquid waste waters, eds. N. Nyholm and B. N. Jacobsen. *Water Science & Technology* 33(6):155-161.
- Pip, E. and K. Simmons. 1986. Aquatic angiosperms at unusual depths in Shoal Lake, Manitoba-Ontario. *The Canadian Field-Naturalist* 100:354-358.
- Pollard, P. C. and D. J. Moriarty. 1991. Organic carbon deposition, primary and bacteria productivity, in tropical seagrass beds of the Gulf of Carpentaria, Australia. *Marine Ecology Progress Series* 69:149-159.
- Posey, M. H., C. Wigand and J. C. Stevenson. 1993. Effects of an introduced aquatic plant, *Hydrilla verticillata*, on benthic communities in the upper Chesapeake Bay. *Estuarine, Coastal and Shelf Science* 37:539-555.
- Powell, G. V. N. and F. C. Schaffner. 1991. Water trapping by seagrasses occupying bank habitats in Florida Bay. *Estuarine, Coastal and Shelf Science* v. 32:43-60.
- Prins, H. B. A., J. F. H. Snel, P. E. Zanstra and R. J. Helder. 1982. The mechanism of bicarbonate assimilation by the polar leaves of *Potamogeton* and *Elodea*. CO₂ concentrations at the leaf surface. *Plant Cell Env.* 5:207-214.
- Priscu, J. C. 1983. Suspensoid characteristics in subalpine Castle Lake, California II. Optical properties. *Archiv fur Hydrobiologie* 97:425-433.
- Pulich, W. M. 1983. Growth response of *Halophila engelmannii* to sulfide, copper and organic nitrogen in marine sediments. *Plant Physiology* 71:975-978.
- Pulich, W. M. 1989. Effects of rhizosphere macronutrients and sulfide levels on the growth physiology of *Halodule wrightii* and *Ruppia maritima*. *Journal of Experimental Marine Biology and Ecology* 127:69-80.
- Rørslett, B. 1987. A generalized spatial niche model for aquatic macrophytes. *Aquatic Botany* 29:63-81.
- Ramanathan, A. and S. L. Burks. 1996. Hazard evaluation of soil contaminants with aquatic animals and plant toxicity tests. *Bulletin of Environ. Contam. Toxicol.* 56:956-963.
- Rawls, C. K. 1975. Mechanical control of Eurasian water milfoil in Maryland with and without 2, 3-D application. *Chesapeake Science* 16:266-281.
- Redfield, A. C. 1934. On the proportions of organic derivatives in seawater and their relation to the composition of plankton. In: James Johnston Memorial Volume, ed. R. J. Daniel. University Press.
- Roblee, M. B., T. R. Barber, P. R. Carlson, M. J. Durako, J. W. Fourqurean, L. K. Muehlstein, D. Porter, L. A. Yarbro, R. T. Zieman and J. C. Zieman. 1991. Mass mortality of the tropical seagrass *Thalassia testudinum* in Florida Bay (U.S.A.). *Marine Ecology Progress Series* 71:297-299.
- Rodriguez, R. W., R. M. T. Webb and D. M. Bish. 1994. Another look at the impact of Hurricane Hugo on the shelf and coastal resources of Puerto Rico, U.S.A. *Journal of Coastal Restoration* 10:278-296.

- Ruffin, K. 1995. The effects of hydraulic clam dredging on nearshore turbidity and light attenuation in Chesapeake Bay, Maryland. MS thesis submitted to the University of Maryland, College Park, Maryland, 97 pp.
- Rybicki, N. B. and V. Carter. 1986. Effects of sediment depth and sediment type on the survival of *Vallisneria americana* grown from tubers. *Aquatic Botany* 24:233-240.
- Rybicki, N. B., H. L. Jenter, V. Carter, R. A. Baltzer and M. Turtora. 1997. Observations of tidal flux between a submersed aquatic plant stand and the adjacent channel in the Potomac River near Washington, DC. *Limnology and Oceanography* 42:307-317.
- Sajwan, K. S. and W. H. Ornes. 1996. Cadmium accumulation in Eurasian water milfoil plants. *Water, Air and Soil Pollution* 87:47-56.
- Salt, D. E., M. Blaylock, N. P. B. A. Kumar, V. Dushenkov, B. D. Ensley, I. Chet and I. Raskin. 1995. Phytoremediation: A novel strategy for the removal of toxic metals from the environment using plants. *Biotechnology* 13:468-474.
- Salvucci, M. E. and G. Bowes. 1982. Photosynthetic and photorespiratory responses of the aerial and submerged leaves of *Myriophyllum brasiliense*. *Aquatic Botany* 13:147-164.
- Sand-Jensen, K. 1977. Effect of epiphytes on eelgrass photosynthesis. *Aquatic Botany* 3:55-63.
- Sand-Jensen, K. and J. Borum. 1983. Regulations of growth of eelgrass (*Zostera marina* L.) in Danish coastal waters. *Marine Technical Society Journal* 17:15-21.
- Sand-Jensen, K. and J. Borum. 1991. Interactions among phytoplankton, periphyton and macrophytes in temperate freshwaters and estuaries. *Aquatic Botany* 41:137-175.
- Sand-Jensen, K. and J. R. Mebus. 1996. Fine-scale patterns of water velocity within macrophyte patches in streams. *Oikos* 76:169-180.
- Sand-Jensen, K. and N. P. Revsbech. 1987. Photosynthesis and light adaptation in epiphyte-macrophyte associations measures by oxygen microelectrodes. *Limnology and Oceanography* 32:452-457.
- Sand-Jensen, K. and T. V. Madsen. 1991. Minimum light requirements of submerged freshwater macrophytes in laboratory growth experiments. *Journal of Ecology* 79:749-764.
- Sanford, L. 1997. Turbulent mixing in experimental ecosystem studies. *Marine Ecology Progress Series* 161:265-293.
- Scheffer, M., A. H. Bakema and F. G. Wortelboer. 1993. MEGAPLANT: A simulation model of dynamics of submerged plants. *Aquatic Botany* 45:341-356.
- Schubel, J. R. and R. B. Biggs. 1969. Distribution of seston in upper Chesapeake Bay. *Chesapeake Science* 10:18-23.
- Scoffin, T. P. 1970. The trapping and binding of subtidal carbonate sediments by marine vegetation in Bimini Lagoon, Bahamas. *J. Sedim. Petrol.* 40:249-273.
- Sculthorpe, C. D. 1967. *The biology of aquatic vascular plants*, 610 pp. Edward Arnold Ltd., London.
- Selim, S. A., S. W. O'Neal, M. A. Ross and C. A. Lembi. 1989. Bioassay of photosynthetic inhibitors in water and aqueous soil extracts with Eurasian water milfoil (*Myriophyllum spicatum*). *Weed Science* 37:810-814.
- Seymour, R. J. 1996. Effects of Southern California kelp beds on waves. *J. Waterw. Port Coast. Oc. Engineer.*, 207-208.
- Sheldon, R. B. and C. W. Boylen. 1977. Maximum depth inhabited by aquatic vascular plants. *American Midland Naturalist* 97:248-254.
- Short, F. T., D. M. Burdick and J. E. Kaldy, III. 1995. Mesocosm experiments quantify the effects of eutrophication on eelgrass, *Zostera marina*. *Limnology and Oceanography* 40:740-749.
- Short, F. T., S. Wyllie-Echeverria. 1996. Natural and human-induced disturbances of seagrasses. *Environmental Conservation* 23:17-27.
- Short, F. T. 1987. Effects of sediment nutrients on seagrasses: Literature review and mesocosm experiment. *Aquatic Botany* 27:41-57.
- Silberstein, K., A. W. Chiffings and A. J. McComb. 1986. The loss of seagrass in Cockburn Sound, Western Australia. 3. The effect of epiphytes on productivity of *Posidonia australis* Hook. F. *Aquatic Botany* 24:355-371.
- Smith, E. M. and W. M. Kemp. 1995. Seasonal and regional variations in plankton community production and respiration for Chesapeake Bay. *Marine Ecology Progress Series* 116:217-231.
- Smith, R. C. and K. S. Baker. 1978. The bio-optical state of ocean waters and remote sensing. *Limnology and Oceanography* 23:247-259.
- Smith, W. O. Jr. 1982. The relative importance of chlorophyll, dissolved and particulate material and seawater to the vertical extinction of light. *Estuarine, Coastal and Shelf Science* 15:459-465.
- Søndergaard, M. and K. Sand-Jensen. 1979. Carbon uptake by leaves and roots of *Littorella uniflora*. *Aquatic Botany* 6:1-12.
- Spencer, D. F., G. G. Ksander and L. C. Whiteland. 1989. Sago pondweed (*Potamogeton pectinatus*) tuber size influences its response to fluridone treatment. *Weed Science* 17:250-252.

- Sprenger, M. and A. McIntosh. 1989. Relationship between concentrations of aluminum, cadmium, lead and zinc in water, sediments and aquatic macrophytes in six acidic lakes. *Archives of Environmental Contamination and Toxicology* 18:225-231.
- Springer, P. F. 1959. Summary of interagency meeting on Eurasian water milfoil. U.S. Fish & Wildlife Service, Patuxent Wildlife Station, Laurel, Maryland, 10 pp.
- Staver, K. 1984. Responses of epiphytic algae to nitrogen and phosphorus enrichment and effects on productivity of the host plant, *Potamogeton perfoliatus* L., in estuarine waters. MS thesis, University of Maryland, College Park, Maryland.
- Stevenson, J. C., L. W. Staver and P. Hensel. 1991. Evaluation of water quality monitoring in shallows versus deep water for submersed aquatic vegetation. Final report submitted to Department of Natural Resources, Annapolis, Maryland, 70 pp.
- Stevenson, J. C., L. W. Staver and K. W. Staver. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16:346-361.
- Stevenson, J. C. and N. M. Confer. 1978. Summary of available information on Chesapeake Bay submerged vegetation, 335 pp. U.S. Fish & Wildlife Service OBS 78/66.
- Steward, K. K. 1991b. Light requirements for growth of monoecious hydrilla from the Potomac River. *Florida Scientist* 54:204-214.
- Stewart, A. J., G. J. Haynes and M. I. Martinez. 1992. Fate and biological effects of contaminated vegetation in a Tennessee stream. *Environmental Toxicology and Chemistry* 11:653-664.
- Stewart, R. M., D. G. McFarland, D. L. Ward, S. K. Martin and J. W. Barko. 1997. Flume study investigation of the direct impacts of navigation-generated waves on submersed aquatic macrophytes in the upper Mississippi River. U.S. Army Corps of Engineers, *Environmental Report* 1:52 pp.
- Strand, J. A. and S. E. B. Weisner. 1996. Wave exposure related growth of epiphyton: Implications for the distribution of submerged macrophytes in eutrophic lakes. *Hydrobiologia* 325:113-119.
- Sturgis, R. and L. Murray. 1997. Scaling of nutrient inputs to submersed plant communities: Temporal and spatial variations. *Marine Ecology Progress Series* 152:89-102.
- Sverdrup, H. U., M. W. Johnson and R. H. Fleming. 1942. *The oceans, their physics, chemistry and general biology*. Prentice-Hall, Englewood Cliffs, New Jersey.
- Taylor, D. I., S. W. Nixon, S. L. Granger, B. A. Buckley, J. P. McMahon and H. J. Lin. 1995. Responses of coastal lagoon plant communities to different forms of nutrient enrichment—a mesocosm experiment. *Aquatic Botany* 52:19-34.
- Thomas, L. P., D. R. Moore and R. C. Work. 1961. Effects of Hurricane Donna on the turtle grass beds of Biscayne Bay, Florida. *Bulletin of Marine Science Gulf Caribbean* 11:191-197.
- Titus, J. E. 1977. The comparative physiological ecology of three submersed macrophytes. PhD. dissertation, University of Wisconsin-Madison, Madison, Wisconsin, 195 pp.
- Titus, J. E. and M. S. Adams. 1979. Coexistence and the comparative light relations of submersed macrophytes *Myriophyllum spicatum* L. and *Vallisneria spiralis* L. *Oecologia* 40:273-286.
- Tomasko, D. A., C. J. Dawes and M. O. Hall. 1996. The effects of anthropogenic nutrient enrichment on turtle grass (*Thalassia testudinum*) in Sarasota Bay, Florida. *Estuaries* 19:448-456.
- Twilley, R. R., W. M. Kemp, K. W. Staver, J. C. Stevenson and W. R. Boynton. 1985. Nutrient enrichment of estuarine submersed vascular plant communities. Algal growth and effects on production of plants and associated communities. *Marine Ecology Progress Series* 23:179-191.
- Valdes, Lexia. 1997. Analysis of critical habitat requirements for growth and restoration of submerged vascular plants in Delaware and Maryland coastal bays. MS thesis, University of Delaware, Newark, Delaware.
- Van Dijk, G. M. 1991. Light climate and its impact on *Potamogeton pectinatus* L. in a shallow eutrophic lake. PhD. dissertation, Agricultural University, Wageningen, the Netherlands, 125 pp.
- Van Dijk, G. M. 1993. Dynamics and attenuation characteristics of periphyton upon artificial substratum under various light conditions and some additional observations on periphyton upon *Potamogeton pectinatus* L. *Hydrobiologia* 252:143-161.
- Van Katwijk, M. M., L. H. T. Vergeer, G. H. W. Schmitz and J. G. M. Roelofs. 1997. Ammonium toxicity in eelgrass *Zostera marina*. *Marine Ecology Progress Series* 157:159-173.
- Van Keulen, M. 1997. Water flow in seagrass ecosystems. Ph.D. dissertation, Murdoch Univ., Western Australia, 260 pp.
- Van Wijck, C., C. J. de Groot and P. Grillas. 1992. The effect of anaerobic sediment on the growth of *Potamogeton pectinatus* L: The role of organic matter, sulfide and ferrous iron. *Aquatic Botany* 44:31-49.

- Van Wijngaarden, R. P. A., P. J. van den Brink, S. J. H. Crum, J. H. O. Voshaar, T. C. M. Brock and P. Leeuwangh. 1996. Effects of the insecticide Dursban® 4E (active ingredient chlorpyrifos) in outdoor experimental ditches: I. Comparison of short-term toxicity between the laboratory and the field. *Environmental Toxicology and Chemistry* 15(7):1133-1142.
- Van, T. K., W. T. Haller and G. Bowes. 1976. Comparison of the photosynthetic characteristics of three submersed aquatic plants. *Plant Physiology* 58:761-768.
- Vant, W. N. 1990. Causes of light attenuation in nine New Zealand estuaries. *Estuarine, Coastal and Shelf Science* 31:125-137.
- Vant, W. N., R. J. Davies-Colley, J. S. Clayton and B. T. Coffey. 1986. Macrophyte depth limits in North Island (New Zealand) lakes of differing clarity. *Hydrobiologia* 137:55-60.
- Verduin, J. 1964. Principles of primary productivity: Photosynthesis under completely natural conditions. In: *Algae and Man*, ed. D. F. Jackson, 221-238. Plenum, New York.
- Verduin, J. 1982. Components contributing to light extinction in natural waters: Method of isolation. *Archiv fur Hydrobiologie* 93:303-312.
- Vermaat, J. E. and M. J. M. Hootsman. 1994. Periphyton dynamics in a temperature-light gradient. In: *Lake Veluwe, a macrophyte dominated system under eutrophic stress*, eds. M. H. W. van Viesssen and J. Vermaat. Kluwer Academic Publishers.
- Vincente, V. P. and J. A. Rivera. 1982. Depth limits of the seagrass *Thalassia testudinum* (Konig) in Jobos and Guayanilla Bays, Puerto Rico. *Caribbean Journal of Science* 17:73-79.
- Wanless, H. R. 1981. Fining-upwards sedimentary sequences generated in seagrass beds. *J. Sedim. Petrol.* 51:445-454.
- Ward, L. G., W. M. Kemp and W. R. Boynton. 1984. The influence of water depth and submerged vascular plants on suspended particulates in a shallow estuarine embayment. *Marine Geology* 59:85-103.
- Welsh, D. T., P. Wellsbury, S. Bourgues, R. de Wit and R. A. Herbert. 1996. Relationship between porewater organic carbon content, sulphate reduction and nitrogen fixation (acetylene reduction) in the rhizosphere of *Zostera noltii*. *Hydrobiologia* 329:175-183.
- Werner, I. and G. Wise. 1982. Biomass production of submersed macrophytes in a selected stretch of the River Zschopau (South GDR) with special regard to orthophosphate incorporation. *Int. Revue ges. Hydrobiol.* 67:45-62.
- Westlake, D. F. 1967. Some effects of low-velocity currents on the metabolism of aquatic macrophytes. *Journal of Experimental Botany* 18:187-205.
- Wetzel, R. L. and H. A. Neckles. 1986. A model of *Zostera marina* L. photosynthesis and growth: Simulated effects of selected physical-chemical variables and biological interactions. *Aquatic Botany* 26:307-323.
- Wetzel, R. L. and P. A. Penhale. 1983. Production ecology of seagrass communities in the lower Chesapeake Bay. *Marine Technical Society Journal* 17:22-31.
- Wigand, C. and J. C. Stevenson. 1994. The presence and possible ecological significance of micorrhizae of the submersed macrophyte *Vallisneria americana*. *Estuaries* 17:206-215.
- Wigand, C., J. C. Stevenson and J. C. Cornwell. 1997. Effects of different submersed macrophytes on sediment biogeochemistry. *Aquatic Botany* 56:233-244.
- Wilcoxon, F. 1945. Individual comparisons by ranking methods. *Biometrics Bulletin* 1:80-83.
- Williams, S. L. and M. H. Ruckelshaus. 1993. Effects of nitrogen availability and herbivory on eelgrass (*Zostera marina*) and epiphytes. *Ecology* 74:904-918.
- Wofsy, S. C. 1983. A simple model to predict extinction coefficients and phytoplankton biomass in eutrophic waters. *Limnology and Oceanography* 28:1144-1155.
- Yoshida, T. 1975. Microbial metabolism of flooded soils. *Soil Biochemistry* 3:83-122.
- Zar, Gerald H. 1984. In: *Biostatistical Analysis*, 150-161. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Zimmerman, R. C., A. Cabello-Pasini and R. S. Alberte. 1994. Modeling daily production of aquatic macrophytes from irradiance measurements: A comparative analysis. *Marine Ecology Progress Series* 114:185-196.
- Zimmerman, R. C., J. L. Reguzzoni and R. S. Alberte. 1995. Eelgrass (*Zostera marina*) transplants in San Francisco Bay: Role of light availability on metabolism, growth and survival. *Aquatic Botany* 51:67-86.
- Zimmerman, R. C., J. L. Reguzzoni, S. Wyllie-Echeverria, M. Josselyn and R.S. Alberte. 1991. Assessment of environmental suitability for growth of *Zostera marina* L. (eelgrass) in San Francisco Bay. *Aquatic Botany* 39:353-366.
- Zimmerman, R. C., R. D. Smith and R. Alberte. 1987. Is growth of eelgrass nitrogen limited? A numerical simulation model of the effects of light and nitrogen on the growth dynamics of *Zostera marina*. *Marine Ecology Progress Series* 41:167-176.
- Zimmerman, R. C., R. D. Smith and R. S. Alberte. 1989. Thermal acclimation and whole-plant carbon balance in *Zostera marina* L. (eelgrass). *Journal of Experimental Marine Biology and Ecology* 130:93-109.